

Multifan



温室风机

新一代！



VOSTERMANS
VENTILATION

YOUR SPECIALIST IN AIR

新一代园艺风机

本新款Multifan园艺风机可帮助您创造恒定的温室气候，同时最大限度地减少能耗。经过改进的风机设计具有许多重要优点。例如，风机能效大大提高，而且更加安静。空气软管也更容易连接到风机上，节约安装成本，从而降低风机使用成本。这款紧凑、强大的风机用于为您的作物创造理想的生长气候，专为园艺行业开发。



为什么选择这种风扇

- 强大、静音
- 同类产品中最节能
- 投资成本低
- 易于安装
- 易于维护
- 纯白版本用于创造理想的生长气候
- 采用耐极端条件的材料
- 使用寿命长：3 年质保

用途

- 园艺温室
- 农业：猪、家禽、奶牛
- 工业

特点

- 提供 3 个版本：5,000、7,000 和 8,500 m³/h
- 电机绝缘等级为 F。
- IP55 电机（防水、防尘）
- 节能，高达 22.6 W/1,000 m³/h
- 低噪音，最高达 46 dB(A)
- 便于安装直径为 52 厘米的空气软管
- 单相电机内置热保护

可行选择

- CE 电线防护罩套件
- 5 米带插头电缆（单独提供）
- 三相电机内置热探测器
- 调频电机



技术数据，单相

产品编号	ø (cm)	电源			(n) 转速	P _{in} (W)	I _{nom} (A)	I _{max} (A)	Q _v (m³/h) *	送风距离 (m) **	SFP @0Pa (W/1000m³/h)	dB (A) ***	可控性 ****
		~	V	Hz									
T6E45ABM80100	45	1	230	50	950	100	0,5	0,7	4.800	45	20,8	46	E/T
T4E45DAM80100	45	1	230	50	1.460	190	0,9	1,4	6.450	55	29,8	55	E/T
T6E45BAM80100	45	1	230	50	910	230	1,1	1,4	6.750	56	34,1	47	E/T
T4E45CAM80100	45	1	230	50	1.415	370	1,7	2,5	8.700	65	42,9	54	E/T
T6E45NAM80100	45	1	230	60	1130	110	0.5	0.8	4850	45	22.7	49	E/T
T6E45NBM80100	45	1	115	60	1130	110	1	1.5	4850	45	22.7	49	E/T
T6E45OEM80100	45	1	230	60	1150	180	0.8	1.2	6100	49	29.5	50	E/T
T6E45OFM80100	45	1	115	60	1155	190	1.9	2.8	6100	49	31.1	50	E/T
T4E45OAM80100	45	1	230	60	1740	280	1.2	2.1	7150	60	39.2	58	E/T
T4E45OBM80100	45	1	115	60	1735	270	2.4	4.1	7150	60	37.8	58	E/T
T4E45PAM80100	45	1	230	60	1655	390	1.8	2.7	8450	65	46.2	58	E/T
T4E45PBM80100	45	1	115	60	1660	390	3.5	5.3	8500	65	45.9	58	E/T

技术数据，三相


产品编号	ø (cm)	电源			(n) 转速	P _{in} (W)	I _{nom} (A)	I _{max} (A)	Q _v (m³/h)	送风距离 (m) *	SFP @0Pa (W/1000m³/h)	dB (A) **	可控性 ***
		~	V (Y)	Hz			Y	Y					
T6D45ACM80100	45	3	400	50	940	110	0,5	0,6	5.000	45	21,6	47	T
T6D45BAM80100	45	3	400	50	910	220	0,4	0,5	6.700	56	32,8	48	T
T4D45CAM80100	45	3	400	50	1.425	370	0,9	1,0	8.750	65	42,6	54	T
T4D45DAM80100	45	3	400	50	1.415	450	1,1	1,2	9.250	69	48,6	55	T
T6D45NAM80100	45	3	460	60	1135	130	0.3	0.4	5300	45	24.5	47	T
T6D45OCM80100	45	3	460	60	1160	170	0.5	0.5	6150	54	27.6	51	T
T4D45OCM80100	45	3	460	60	1755	270	0.7	0.9	7250	60	37.2	58	T
T4D45PCM80100	45	3	460	60	1720	410	0.9	1.1	8850	65	46.3	59	T

* 根据现场测试得出最大可用投掷

** 在7米吹风距离处测得的声压级

*** 变压器控制 (T)；变频控制 (F)；双向可控硅控制 (E)

尺寸 (mm)



ø (cm)	A01	A02	A03	A10	A11	A12	A13	A14	A15	A70
45	472	586	586	6,5	403	32	220	368	326	520



65 余载的丰富经验

“Venlo Greenhouse”可能是世界上知名度最高的温室产品。所以，Vostermans Ventilation 公司自成立起就一直活跃在园艺领域很可能并非偶然。因此，我们积累了很多知识，可以为您选择正确通风解决方案提供支持。



服务

作为一个家族企业，与我们的客户建立长期关系对我们很重要。因此，在出现问题时，我们会快速有效地为客户提供帮助。您有疑问或需要支持？请通过如下联系方式与我们的客服团队取得联系。

Why choose Vostermans Ventilation:

LOYAL TO YOU

We care for your specific needs based on our long expertise. In close cooperation with you we secure your business outcomes.

RELIABLE

Since our foundation in the Netherlands in 1952, we maintain our reputation as reliable partner. Our carefully selected global network of independent distributors strive to deliver you dedicated service and expertise.

FUTURE PROOF

Our future proof approach, which combines energy efficiency solutions with robust quality and rigorous testing, is based on a genuine commitment to serve as a trusted partner.

Vostermans Ventilation is a global developer and manufacturer of sustainable axial fans for the agricultural and industrial market. Sustainability is key for Vostermans. Their premium brandlines Multifan and EMI are showcasing the drive for advanced energy efficient fans. The company applies continuous innovation and research in their own motor production facility and in house state of the art R&D department. Vostermans Ventilation, part of Vostermans Companies founded in 1952, is based in Venlo, the Netherlands and operates in USA, China and Malaysia.



VOSTERMANS
VENTILATION

YOUR SPECIALIST IN AIR

All rights reserved. Vostermans Companies is not responsible for inaccurate or incomplete data. In case of any questions and / or remarks please contact ventilation@vostermans.com. Subject to alterations 08/2025

Venlo - The Netherlands
Tel. +31 (0)77 389 32 32
ventilation@vostermans.com

Bloomington, IL- USA
Tel. +1 309 827-9798
ventilation@vostermansusa.com

Tmn Klang Jaya - Malaysia
Tel. +60 (0)3 3324 3638
ventilation@vostermansasia.com

Shanghai - China
Tel. +86 21 5290 2889
ventilation@vostermanschina.com